



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—FOREIGN AND INSULAR COUNTRIES AND CITIES
(Untabulated).

ARGENTINA—*Rosario*.—Month of March, 1912. Population, 192,268. Total number of deaths from all causes 355, including diphtheria 8, measles 1, tuberculosis 28, typhoid fever 27.

CANADA—*Sherbrooke*.—Month of May, 1912. Population, 11,765. Total number of deaths from all causes 26, including tuberculosis 6, typhoid fever 1.

DANISH WEST INDIES—*St. Thomas*.—Three months ended March 31, 1912. Population, 11,000. Total number of deaths from all causes 84, including tuberculosis 3. Cases reported: Tuberculosis 9, typhoid fever 1.

FRANCE—*St. Etienne*.—Two weeks ended May 15, 1912. Population, 148,778. Total number of deaths from all causes 143, including scarlet fever 1, tuberculosis 20. Cases reported: Diphtheria 4, scarlet fever 3, typhoid fever 1.

GREAT BRITAIN.—Week ended May 18, 1912.

England and Wales.—The deaths registered in 95 great towns correspond to an annual rate of 12.7 per 1,000 of the population, which is estimated at 17,639,816.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 18.6 per 1,000 of the population, which is estimated at 1,157,014. The lowest rate was recorded at Dundalk, viz, 4 and the highest at Tralee, viz, 37 per 1,000.

Scotland.—The deaths registered in 18 principal towns correspond to an annual rate of 15.8 per 1,000 of the population, which is estimated at 2,182,400. The lowest rate was recorded at Falkirk, viz, 6.1 and the highest at Leith, viz, 22.5 per 1,000. The total number of deaths from all causes was 661, including diphtheria 3, measles 32, scarlet fever 1, typhoid fever 2.

HAWAII—*Honolulu*.—Five weeks ended June 1, 1912. Population, 39,306. Total number of deaths from all causes 79, including tuberculosis 10, typhoid fever 2. Cases reported include: Diphtheria 1, measles 1, tuberculosis 20, typhoid fever 5. Three cases of leprosy were reported.

ITALY—*Florence*.—Month of April, 1912. Population, 242,403. Total number of deaths from all causes 381, including diphtheria 3, measles 14, tuberculosis 49, typhoid fever 2. Cases reported: Diphtheria 28, measles 259, scarlet fever 16, tuberculosis 20, typhoid fever 8.

Genoa.—Two weeks ended May 15, 1912. Population, 256,673. Total number of deaths from all causes 138, including diphtheria 6, measles 1, tuberculosis 20, typhoid fever 1. Cases reported: Diphtheria 14, measles 5, scarlet fever 2, tuberculosis 24, typhoid fever 6.

PORTO RICO.—Five weeks ended June 1, 1912.

Ponce.—Nineteen deaths from tuberculosis were reported. Cases reported were: Tuberculosis 25, typhoid fever 1, hookworm disease 303. There was 1 death from hookworm disease.

San Juan.—Six deaths from tuberculosis were reported. Cases reported were: Diphtheria 2, tuberculosis 56, typhoid fever 11, hookworm disease 2.

RUSSIA—*Riga*.—Month of March, 1912. Population 269,001. Total number of deaths from all causes 779, including diphtheria 4, measles 2, scarlet fever 9, smallpox 4, typhoid fever 7. Cases reported: Diphtheria 45, measles 92, scarlet fever 51, smallpox 13, typhoid fever 14, typhus fever 2.

SPAIN—*Seville*.—Month of January, 1912. Population, 158,235. Total number of deaths from all causes 425, including diphtheria 6, tuberculosis 65.

VENEZUELA—*La Guaira*.—Two weeks ended May 15, 1912. Population, 10,000. Total number of deaths from all causes 18, including tuberculosis 3. Cases reported: Tuberculosis 3.

By authority of the Secretary of the Treasury:

RUPERT BLUE,

Surgeon General,

United States Public Health and Marine-Hospital Service.

ADDITIONAL COPIES of this publication
may be procured from the SUPERINTEND-
ENT OF DOCUMENTS, Government Printing
Office, Washington, D. C., at 5 cents per copy.

Subscription price, per volume \$2

